



Document Nr. : TDS 01 Issue Date : 01 FEB 2023 Revision Nr. : 01 Revision

: 01 FEB 2024

## MATERIAL SAFETY DATA SHEET LEVRON-VİZYON AEROGEL FELTS

1. IDENTIFICATION COMPANY

Product Name: Levron-Vizyon Aerogel Felts (IPF2000 series)

AND OF THE Usage/Preparation of the Product : High Performance Insulation Material

Manufacturer: Isovoll Nanoteknoloji Yalıtım Ür. Tic. ve San. A.Ş.

Address: Çoraklar Mah. 5008. Sokak No. 4A ALOSBİ

Aliağa - İZMİR - TÜRKİYE

E-mail: info@levronchemicals.com Web-site: www.levronchemicals.com

Emergency Telephone Number: +90 216 446 00 04

2. HAZARDS

Appearance and Odor: White non-woven felt fabric material without

IDENTIFICATION characteristic smell.

Emergency Overview: Inhalation of excessive amounts of dust from the product may cause irritation to the respiratory tract. Dermal contact may cause irritation.

### **POTENTIAL HEALTH EFFECTS**

Inhalation: Inhalation of airborne dusts may cause irritation of the upper respiratory tract.

Eye Contact: Exposure to dust from this product can produce a drying sensation and irritation of the eyes.

Skin Contact: Skin contact with dust from this product can produce a drying sensation and irritation of the skin.

Ingestion: This material is not intended to be ingested. If ingested in large quantity, the material may produce irritation and blockage.

Acute Health Hazards: Dust from this product is a physical irritant, and may cause temporary irritation or scratchiness of the throat and / or itching of the eyes and skin. Chronic Health Hazards: Some studies of long term amorphous silica dust exposures indicate a potential for decreased lung function. In surveyed studies, this efect is characterized as compounded by smoking. Additionally, surveyed studies characterize the decreased lung function effect as reversible on

## **CARCINOGENICITY**

discontinuation of exposure.

This product is composed of synthetic amorphous silica dioxide, often referred to as silica gel or amorphous precipitated silica. Amorphous silica should not to be confused with crystalline silica. Epidemiological studies indicate low potential for adverse health effects from exposure to amorphous silica.

### Levron Aerogel Felts

COMPOSITION/INF ORMATION ON **INGREDIENTS** 

Chemical Name	Amount (weight)	CAS Number
Silika jel	20-60%	102262-30-6
Glass Fiber Felt	40-80%	NA





Document Nr.: TDS 01 Issue Date : 01 FEB 2023 Revision Nr. : 01 Revision : 01 FEB 2024

4. FIRST AID Eye Contact: Immediately wash with large amounts of water for at least 15 MEASURES minutes, occasionally lifting lids. If irritation occurs and persists, get medical treatment.

> Skin Contact: Wash skin thoroughly with soap and plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Obtain medical attention if symptoms occur.

> Ingestion: Do not induce vomiting. If conscious, give several glasses of water.

Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air. Drink water to clear throat and blow nose to remove dust. Obtain medical attention if ill effects persist.

5. FIRE-FIGHTING Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry MEASURES chemical or carbon dioxide.

> Hazardous combustion products: No data available. Treat material as having potential for emission of toxic gases upon combustion.

> Special protective equipment for firefighting: Wear self-contained breathing apparatus for firefighting if necessary.

Flammability properties	C.O.C. Flash Point:	Not applicable
	T.C.C. Flash Point:	Not applicable
	Auto Ignition Temperature:	Not applicable
In the air Flammability Limits	L.E.L.	Not applicable
	U.E.L.	Not applicable

Hazardous combustion products: Carbon monoxide (CO). Carbon dioxide (CO2). Formaldehyde. Organic products of decomposition.

6. ACCIDENTAL Personal Precautions: Minimize dust generation. Ensure adequate ventilation. Use RELEASE MEASURES personal protective equipment as necessary.

> Environmental Precautions: Material is not soluble. Do not flush into surface water or sanitary sewer system.

Methods for Cleaning up: Contain and collect released material for proper disposal.

## STORAGE

7. HANDLING AND Handling: Levron Aerogel blankets will generate dust when handled. Workplace exposure to all dusts should be controlled with standard industrial hygiene practices. Local exhaust ventilation should be the primary dust control method. Dust released during the handling of Levron Aerogel blankets should be cleaned up promptly. Levron Aerogel dust is hydrophobic, water is not effective as a dust control agent.

> Storage: Levron Aerogel blankets should be kept in their packaging until they are ready to be used. Unpack the material in the work area. This will help to minimize the area where dust exposure may occur.





Document Nr.: TDS 01
Issue Date: 01 FEB 2023
Revision Nr.: 01 Revision
Date: 01 FEB 2024

Recommended Storage Temperature	Minimum: -5 ° C / Maximum: 50 ° C
Shelf Life	Could be unlimited if necessary storage conditions satisfied.
Storage Precautions	Store separately from oxidizing agents, volatile chemicals and strongly acidic or alkaline materials.

8. EXPOSURE CONTROLS/PERSO NAL PROTECTION

Exposure Limits	No exposure limits identified for the main product component
Engineering Controls	user operations generate dust, fumes or mist, use local exhaust ventilation and the general extraction.

## **Exposure Control**

Respiratory Protection	If conditions are present involving dust evolution above the occupational exposure limit, wear suitable respiratory protective equipment.
Hand Protection	Levron Silica aerogels are hydropho - bic (repel water) and may cause drying and irritation of the skin, eyes, and mucous membranes. For this reason, nitrile, latex, or other imper - meable gloves should be worn when handling Levron Aerogel blankets.
Skin Protection	also advised. Disposable coveralls should be considered to minimize skin exposure and track out of Levron Aerogel dusts into adjacent areas. Barrier creams should be applied before work is commenced. Suitable gloves should be worn.
Eye Protection	Safety glasses, or chemical goggles as needed to provide greater protection from dust.





Document Nr. : TDS 01 Issue Date : 01 FEB 2023 Revision Nr. : 01 Revision Date : 01 FEB 2024

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Light Cream Felt
Color	Light Cream
Odor	No characteristic odor
Boiling Point	Not applicable
Solubility In Water	Insoluble
Specific Gravity	300 - 1500 kg/m <sup>3</sup>
рН	4 - 6
Flash point / Ignition	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Evaporation Rate	Not applicable
Viscosity	Not applicable

# 10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Dry Thermal Decomposition	>300 ° C
Incompatibility With Other Material	Incompatible with oxidizing agents and strongly acidic and alkaline materials.
Decomposition	May produce oxides of carbon on decomposition.
Hazard Decomposition Products	Formaldehyde

# TOXICOLOGICAL INFORMATION

11. No radioactive or toxic materials. Repeated or prolonged contact may lead to removal of natural fats from the skin, resulting in non-allergic dermatitis and absorption through the skin. Splashes in eyes may cause irritation and reversible local damage. Ingestion may result in sore throat, abdominal pain or nausea. Inhalation of dust must be avoided; continuous high concentration dust can cause damage at lungs.





Document Nr. : TDS 01
Issue Date : 01 FEB 2023
Revision Nr. : 01 Revision
Date : 01 FEB 2024

12. ECOLOGICAL INFORMATION

As it does not contain soluble heavy metals, the product does not cause ecological or toxicological problems like other compounds containing heavy metals. It should not be allowed to enter drains or watercourses.

13. DISPOSAL CONSIDERATIONS

Do not allow entering drains and watercourses or anywhere that may affect ground or surface waters. Dispose in an approved landfill in accordance with federal, state / provincial, and local regulation. Cover promptly to avoid dust generation.

14. TRANSPORT INFORMATION

To transport within the user's premises, always use closed containers that are secure and upright. Ensure that operational personnel know what to do in event of spillage. It is not hazardous in the sense of the transport regulations. Not restricted under IATA.

15. REGULATORY INFORMATION

The products are determined as not being dangerous for supply according to current Chemicals Hazard Information and Packing Regulations in force. The information contained in this Material Safety Data Sheet, does not substitute the user's own responsibility to carry out an assessment of work place risks as may be required by Health and Safety Legislation.

16. OTHER INFORMATION

The products should not be used for purposes other than those shown on the manufacturer's product labels and technical data sheets. As the specific conditions of use are outside the supplier's control; the user is responsible for ensuring compliance with the relevant legislation in the territory of use.

The information contained in this Material Safety Data Sheet, is based on the current state of knowledge and current state of Legislation. It provides guidance on Health Safety and Environmental aspects of the products, and should not be taken as a guarantee of technical performance or suitability for particular applications.